



Specifications Noxion LED Panel Louvre 38W 3230lm - 840 Cool White | 120x30cm - UGR <15 - Philips Xitanium Driver - GST18 Male

[View Product](#)

General Information

| | |
|--------------------------|--|
| SKU | 223532 |
| EAN | 8719157001113 |
| Brand | Noxion |
| Manufacturer Name | Noxion LED Louvre 38W 4000K 86 L/W 30x120 Polish reflector GST18i3 connect. (2x36W eqv.) |
| Any Lamp all-in warranty | 6 Years |
| Average Lifetime (h) | 50000 |
| Series | Louvre Excell |

Technical Information

| | |
|-----------------------------|-----------------|
| Technology | LED Integrated |
| Replaces (Watt) | 2x36 |
| Wattage | 38 |
| Voltage (V) | 220-240 |
| Dimmable | Not Dimmable |
| Colour Code | 840 Cool White |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra) | 80-89 |
| Colour of Light | White |
| Light colour options | Single Color |
| Including bulb | Yes |

| | |
|--------------------------|---------------------------|
| Light Distribution | Symmetrical |
| Luminous Flux (Lumen) | 3230 |
| Luminous Efficacy (lm/W) | 85 |
| Suitable for Outdoor | No |
| IP-rating | IP20 |
| Impact Protection (IK) | IK02 - 0.20 joule |
| Fixture Connection | GST18i3 (2x1mm) male 0.5m |
| Installation Depth (mm) | 55 |
| Finish of Reflector | Aluminium |
| Driver Included | Yes |
| Power factor | >0.95 |
| Product Type Category | LED Panel |

Fixture Information

| | |
|-----------------------|---------------------------------|
| Mounting Method | Recessed |
| Unified Glare Rating | < 15 - for special applications |
| Optical Cover | PMMA (Polymethyl methacrylate) |
| Operating Temperature | -10 to +40 |
| Emergency Lighting | No Emergency Unit |
| Colour of the Fixture | White |
| Housing | Aluminium |
| Colour of material | White |

Dimensions

| | |
|----------------|----------|
| LED panel size | 120x30cm |
| Length (mm) | 1195 |
| Width (mm) | 295 |

Height (mm)

55

Sensor Information

Type of sensor

No Sensor

Why Any-lamp?



Order from the **largest lighting specialist** in Europe



Customised quotation



Up to **7 years warranty**



Easy return process